

真诚合作 共创未来

Sincere Cooperation to Create a Bright Future

电机性能特点

1. 结构紧凑，体积小，重量轻，外形美观。有效节约安装空间，维护方便。
2. 稳升低，效率高，环保节能，运行平稳，噪音小。
3. 采用低噪音专用轴承，运行平稳，振动小，铝合金端盖防腐蚀。
4. 内置温控开关，有效的保护电动机，可靠性高，使用寿命长。
5. 多档调速，多种安装方式，满足不同的需要。

Motor Specifications

1. Compact structure, small size, light weight, beautiful appearance. Effectively saving installation space for easy maintenance.
2. Steady rise low, high efficiency, environmental protection, energy saving, smooth running, and low noise.
3. Special bearings for low noise, smooth running, small vibration, and aluminum alloy end caps for corrosion resistant.
4. Built-in temperature control switch to effectively protect the motor, high reliability for long service life.
5. Multi-speed regulator, a variety of installation methods to meet different requirements.

常州常鹏电机有限公司

CHANGZHOU CHANGPENG MOTOR CO.,LTD.

地址：江苏省常州市武进区礼嘉镇政平街

Address: Zhengping Street, Lijia Town, Wujin District, Changzhou City, Jiangsu Province


邮编 (Zip Code) : 213173

电话 (Tel) : 0519-86254768 传真 (Fax) : 0519-86254766

网址 (Website) : www.cp-motor.com www.常鹏.com

阿里巴巴 (Alibaba) : www.cpmotor.cn

电子邮箱 (E-mail) : changpeng8@163.com



常鹏电机 专业制造

Chang Peng Motor Professional Manufacturer

www.cp-motor.com

交流电机专业制造商
AC Motor Specialist

常州常鹏电机有限公司

CHANGZHOU CHANGPENG MOTOR CO.,LTD.

COMPANY PROFILE

公司简介

常州常鹏电机有限公司成立于2009年5月，占地面积2000平方米，位于江苏省常州市武进区礼嘉镇。拥有先进的测试设备和设计软件，从产品设计开发到生产全部有公司自己完成。主要生产环保空调电机，水空调电机，移动冷风机电机，家用空调电机，风机盘管电机，诱导风机电机，特殊规格的离心风机、轴流风机电机、以及电力散热风机电机。公司可以根据客户要求设计生产各种特殊规格的电机。本公司产品通过中国国家强制性认证CCC，证书编号：2009010401372192。在多年的努力下公司拥有一批年轻的团队，以创新，服务，进取的理念，做出让客户满意的产品，公司可以根据客户要求设计匹配电机。




Changzhou Chang Peng Motor Co., Ltd. was established in May 2009. It covers an area of 2,000 square meters in Lijia Town, Wujin District, Changzhou City Jiangsu Province. With advanced testing equipment and design software, it owns independent R&D for all kinds of motors, such as environmentally friendly air conditioning motor, water source air conditioner motor, mobile cold air blower motor, household air conditioning motor, fan coil motor, induction fan motor, centrifugal fan, axial fan motor, electric cooling fan motor and other special motors with design and production to customer requirements of a variety of specifications. The products have passed China National Compulsory Certification (CCC, No. 2009010401372192). Through years of development, the company has built young team believing in the concept of innovation, service, enterprising, to endeavor every efforts to meet customer satisfaction., The company can be designed according to customer requirements match the motor.



Contents 目录





1	移动蒸发式冷风机电机	Mobile Evaporation Type Air Cooler Motor
2	水空调电机	Water Air Conditioner Motor
3/4	中央空调末端用风机盘管电机	Fan Coil Motors used by the end of Central Air-conditioner
5	空气源热泵热水器电机	Air source Heat Pump Water Heater Motor
6	家用空调室内电机	Household Air Conditioner Motor (Indoor)
7	家用空调室外电机	Household Air Conditioner Motor (Outdoor)
8	吸顶式空调电机	Ceiling Type Air Conditioner Motor
9	诱导风机电机	Induction Fan Motor
10	试验设备电机	Test Device Motor
11	窗机空调电机	Window Air Conditioner Motor
12	139系列电机 (外贸)	139 series Motor (for exportation)
13	管道风机电机	Duct Fan Motor
14	离心风机电机	Centrifugal Fan Motor
15	移动空调电机	Mobile Air Conditioner Motor
16	空气净化设备电机	Air Purification Equipment Motor
17	除湿机电机	Dehumidifier Motor
18/19	产品图片	Picture
20	产品应用	Application



技术参数 Specifications

电机型号 Model	电压(V) Voltage	频率(Hz) Frequency	功率(W) Output	转速(rpm) speed	电容(μF) Capacitor
YDK139-150-6	220	50	150	930	10
YDK139-200-4	220	50	200	1180	10
YDK139-350-4	220	50	350	930	12
YSK139-350-4	220	50	350	1200	10
YDK139-100-10	220	50	100	520	6
YDK139-150-4	220	50	100	1100	6





技术参数 Specifications

电机型号 Model	电压(V) Voltage	频率(Hz) Frequency	功率(W) Output	转速(rpm) speed	电容(μF) Capacitor
YDK83-20-4	220	50	20	1300	2
YDK120-30-8	220	50	30	520	3
YDK120-50-8	220	50	50	520	4
YSK139-50-10	220	50	50	420	5
YDK139-100-10	220	50	100	480	6
YDK139-120-10	220	50	120	520	7
YDK139-150-8	220	50	150	580	10
YSK160-350-6	220	50	350	880	15



中央空调末端用风机盘管电机

Fan Coil Motors used by the end of Central Air-conditioner






图纸对照表

H	E	F	A	B	C	D	L1	L2	L3
90	12(14)	11.5(13.5)	110	100	90	80	170	90	80
95	12(14)	11.5(13.5)	106	114	72	100	170	90	80
105	12(14)	11.5(13.5)	106	114	72	100	170	90	80
105台式	12(14)	11.5(13.5)	126	115	72	100	165	90	80

技术参数 Specifications

电机型号 Model	电压(V) Voltage	频率(Hz) Frequency	功率(W) Output	转速(rpm) speed	电容(μF) Capacitor
YSK110-16-4	220V	50/60	16W	750/600/480	1.0
YSK110-20-4	220V	50/60	20W	830/660/520	2.0
YSK110-25-4	220V	50/60	25W	850/680/540	2.5
YSK110-30-4	220V	50/60	30W	880/700/560	2.5
YSK110-35-4	220V	50/60	35W	900/720/580	3.0
YSK110-40-4	220V	50/60	40W	950/750/600	3.0
YSK110-45-4	220V	50/60	45W	1000/800/650	3.0
YSK110-50-4	220V	50/60	50W	1050/840/670	3.5
YSK110-60-4	220V	50/60	60W	1100/950/750	3.5
YSK110-80-4	220V	50/60	80W	1200/900/700	4.0
YSK110-10-6	220V	50/60	10W	730/580/460	1.0
YSK110-12-6	220V	50/60	12W	750/600/480	1.2
YSK110-16-6	220V	50/60	16W	780/620/500	1.5
YSK110-20-6	220V	50/60	20W	830/660/520	2.0
YSK110-25-6	220V	50/60	25W	850/680/540	2.0
YSK110-30-6	220V	50/60	30W	870/700/560	2.5
YSK110-40-6	220V	50/60	40W	890/720/580	2.5
YSK110-50-6	220V	50/60	50W	900/750/600	3.0

匹配风轮145*190.145*160.145*130轴孔12mm和14mm




技术参数 Specifications

电机型号 Model	电压(V) Voltage	频率(Hz) Frequency	功率(W) Output	转速(rpm) speed	电容(μ F) Capacitor
YDK95-25-6	220	50	25	900	2.5
YDK120-60-6	220	50	60	880	4
YDK139-200-4	220	50	200	1200	10
YDK139-250-6	220	50	250	900	10
YDK139-370-6	220	50	370	910	15

家用空调室内电机

Household Air Conditioner Motor (Indoor)




技术参数 Specifications

电机型号 Model	电压(V) Voltage	频率(Hz) Frequency	功率(W) Output	转速(rpm) speed	电容(μ F) Capacitor
YDK83-20-4	220	50	20	1300	2
YDK93-16-4	220	50	16	1300	1.5
YDK93-25-4	220	50	25	1300	2.5
YDK120-30-8	220	50	30	520	3
YDK120-50-8	220	50	50	520	4
YDK139-100-10	220	50	100	480	6


家用空调室外电机

Household Air Conditioner Motor (Outdoor)




技术参数 Specifications

电机型号 Model	电压(V) Voltage	频率(Hz) Frequency	功率(W) Output	转速(rpm) speed	电容(μ F) Capacitor
YDK95-25-6	220	50	25	880	2.5
YDK95-35-6	220	50	35	880	3
YDK95-45-6	220	50	45	880	3.5
YDK120-60-6	220	50	60	850	4
YDK139-150-6	220	50	150	900	10
YDK139-250-6	220	50	250	900	10





技术参数 Specifications

电机型号 Model	电压(V) Voltage	频率(Hz) Frequency	功率(W) Output	转速(rpm) speed	电容(μ F) Capacitor
YDK120-15-6	220	50	15	900	1.2
YDK120-40-6	220	50	40	600	4
YDK120-60-6	220	50	60	700	4
YDK120-70-6	220	50	70	700	5
YDK120-100-6	220	50	100	750	7




技术参数 Specifications

电机型号 Model	电压(V) Voltage	频率(Hz) Frequency	功率(W) Output	转速(rpm) speed	电容(μ F) Capacitor
YDK120-80-6	220	50	80	900	5
YDK120-100-4	220	50	100	1100	5
YDK120-120-4	220	50	120	1200	5
YDK120-180-4	220	50	180	1350	10
YDK95-120-4A	220	50	120	1300	6
YDK120-300-4A	220	50	300	1300	10




技术参数 Specifications

电机型号 Model	电压(V) Voltage	频率(Hz) Frequency	功率(W) Output	转速(rpm) speed	电容(μ F) Capacitor
YDK110-25-4	220	50	20	1100	2.5
YDK110-40-4	220	50	40	1100	3
YDK120-90-4	220	50	90	1100	4
YSK139-250-4	220	50	250	1100	6
YDK139-300-4	220	50	300	1200	8



技术参数 Specifications

电机型号 Model	电压(V) Voltage	频率(Hz) Frequency	功率(W) Output	转速(rpm) speed	电容(μF) Capacitor
YDK95-25-4	220	50	25	1100	2
YDK95-30-6	220	50	30	900	2.5
YDK95-35-6	220	50	35	1100	2.5
YDK120-90-6	220	50	90	900	3
YDK120-120-6	220	50	120	900	6
YDK139-180-6	220	50	180	880	8



技术参数 Specifications


电机型号 Model	电压(V) Voltage	频率(Hz) Frequency	功率(W) Output	转速(rpm) speed	电容(μ F) Capacitor
M3732	220	50/60	1/4	900	5
M3733	220	50/60	1/3	900	7.5
M3734	220	50/60	1/2	900	10
M3735	220	50/60	3/4	1050	15
M3656	220	50/60	1/6	900	5
M3676	220	50/60	1/4	900	6
M3686	220	50/60	1/3	1050	7.5
M3586	220	50/60	1/3	900	7.5
M3588	220	50/60	1/2	900	10
M3590	220	50/60	3/4	1050	15



CHANGPENG
常 鹏 电 机



管道风机电机

Duct Fan Motor





技术参数 Specifications

风机型号 Fan Model	电机型号 Motoa Model	电流(A) Electric current	频率(HZ) Frequency	功率(W) Output	转速(rpm) speed
GDF1.4-4	YDK19-4	0.18	50/60	19	1380
GDF1.4-8	YDK3-8	0.12	50/60	30	550
GDF2.5-4	YDK250-4	1.65	50/60	50	1380
GDF2.5-6	YDK90-6	0.81	50/60	100	900
GDF2.5-8	YDK40-8	0.53	50/60	150	830
GDF3.0-6	YDK180-6	1.43	50/60	250	830
GDF3.0-8	YDK90-8	0.45	50/60	90	690
GDF4.0-8	YDK370-8A	1.5	50/60	370	690
GDF4.0-10	YDK180-10A	0.81	50/60	180	550
GDF4.5-8	YDK800-8A	2.4	50/60	800	690
GDF4.5-10	YDK370-10A	2.0	50/60	370	550
GDF5.0-8	YDK1800-8A	3.0	50/60	1800	690
GDF5.0-10	YDK650-10A	4.8	50/60	650	550




技术参数 Specifications

电机型号 Model	电压(V) Voltage	频率(Hz) Frequency	功率(W) Output	转速(rpm) speed	电容(μ F) Capacitor
YDK120-90-6	220	50	90	1200	8
YDK120-120-6	220	50	120	1200	10
YDK139-275-4	220	50	275	1200	10
YDK139-370-4	220	50	370	1200	15
YDK139-550-4	220	50	550	1200	15
YDK139-550-6	220	50	550	900	15





技术参数 Specifications

电机型号 Model	电压(V) Voltage	频率(Hz) Frequency	功率(W) Output	转速(rpm) speed	电容(μF) Capacitor
YDK95-26-6	220	50/60	25	880	2
YDK95-30-6	220	50/60	30	880	2.5
YDK95-35-6	220	50/60	35	880	3
YDK95-60-4	220	50/60	60	1200	3.5
YDK95-70-4	220	50/60	70	1250	4
YDK95-80-4	220	50/60	80	1300	5



技术参数 Specifications

电机型号 Model	电压(V) Voltage	频率(Hz) Frequency	功率(W) Output	转速(rpm) speed	电容(μF) Capacitor
YDK83-20-4	220	50	20	1300	2
YDK93-16-4	220	50	16	1300	1.5
YDK93-25-4	220	50	25	1300	2.5
YDK120-30-8	220	50	30	520	3
YDK120-50-8	220	50	50	520	4
YDK139-100-10	220	50	100	480	6



技术参数 Specifications

电机型号 Model	电压(V) Voltage	频率(Hz) Frequency	功率(W) Output	转速(rpm) speed	电容(μF) Capacitor
YDK80-20-4	220	50	20	1200	2
YDK83-20-4	220	50	20	1300	2
YDK93-16-4	220	50	16	1300	1.5
YDK93-25-4	220	50	25	1300	2.5
YDK120-30-8	220	50	30	520	3
YDK120-50-8	220	50	50	520	4

